



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 9211765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC - Centre Technique Cuir Chaussure Maroquinerie

Parc Scientifique Tony Ganier - 4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Centre Technique Industriel - Loi du 22.07.1948 - Siren 775649726 - Code NAF 911 C - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Professional Training of the 11th of August 1992 and 24th of December 1996,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/780/162/08/08/0232

To the following model of personal protective equipment :

* protective glove against mechanical risks, thermal risks.

* reference of the model : ST58118

* responsible for placing on the market :

SHANGHAI SELECT SAFETY PRODUCTS CO.,LTD.
3/FL.,NO.6 BUILDING,JINJIANG INDUSTRY PARK,1273 TONGPU
ROAD,SHANGHAI 200333
CHINA

* distributor :

Select International (UK) Ltd

**Rutland House,23-25 Friar Lane, Lester LE1 5QQ, England
United Kingdom**

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following page of this certificate.

Issued by Albine MIGARD

Drawn up in Lyon, on August 5th, 2008



4, rue Hermann Frenkel
69367 Lyon Cedex 07 - France

Tel. +33(0)4 72 76 10 10 - Fax +33(0)4 72 76 10 00
www.ctcgroupe.com

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 233-62 of the French Code of Work

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02
 Reference : ST58118
 Basic Model
 Dated : July 2008

HEAVY KNITTED(85% NOMEX® 15% KEVLAR®) with 100% COTTON LINER.

Available sizes :

10

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	White/Yellow	85%Kevlar / 15%Nomex	7 Gauges	
BACK	White/Yellow	85%Kevlar / 15%Nomex	7 Gauges	
LINING	Beige (Palm)	Cotton liner	7 Gauges	
	Beige (Cuff)	Cotton liner	7 Gauges	
CUFF	White/Yellow	85%Kevlar / 15%Nomex	7 Gauges	
BINDING	Orange	Nylon		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420: 2003 - General requirements for gloves and test methods
- * EN 388: 2003 - Protective glove against mechanical risks
- * EN 407:2004 - Protective gloves against thermal risks
- * Directive 2002/61/CE : - This product fulfilled the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420	01847B-07		
Azo	01847B-07		
EN 388	01847B-07		
EN 407	02402-07		

Performance levels offered against mechanical risks (EN 388:2003) are :

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
1	2	4	X

The levels of performance have been measured on the palm

Performance levels offered against thermal risks (EN 407:2004) are:

Burning behaviour	Contact heat	Convective heat	Radiant heat	Small splashes of molten metal	Large quantities of molten metal
4	3	3	X	1	X

3. MARKING

Each glove is clearly marked with the following informations :

- * Logo of the authorized representative :
- * CE marking
- * reference of the model : ST58118
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for thermal risks followed by the performance levels
- * information pictogram

Marking example :

