



Printing date 05/01/2015 Reviewed on 05/01/2015

#### 1 Identification

- Product identifier

Trade name: Vibra-TITE® UV Adhesive
 Synonyms: 352 UV Structural Adhesive

- Part number: VT352

- Relevant identified uses of the substance or mixture Adhesive

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017

USA

Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com

- Information department: Product safety department

- Emergency telephone number: United States: 1-800-424-9300 International: +1-703-527-3887

#### 2 Hazard(s) identification

- Classification of the substance or mixture



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

#### - Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS07

- Signal word Warning

- Hazard-determining components of labeling:

2-hydroxyethyl methacrylate

acrylic acid

Cumene hydroperoxide

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves.

P280 Wear eye protection / face protection. P264 Wash thoroughly after handling.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P363 Wash contaminated clothing before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 If on skin: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

## **Safety Data Sheet** acc. to OSHA HCS

Printing date 05/01/2015 Reviewed on 05/01/2015

Trade name: Vibra-TITE® UV Adhesive

- Classification system:

- NFPA ratings (scale 0 - 4)



- HMIS-ratings (scale 0 - 4)



Health = \*3 Fire = 1

- Other hazards
  - Results of PBT and vPvB assessment
    - PBT: Not applicable.
    - vPvB: Not applicable

# 3 Composition/information on ingredients

- Chemical characterization: Mixtures
  - **Description:** Mixture of the substances listed below with nonhazardous additions.

- Dang	- Dangerous components:		
	Urethane acrylate	50-60%	
868-77-9	2-hydroxyethyl methacrylate	10-20%	
79-10-7	acrylic acid	1-5%	
	Photochemical	1-5%	
128-44-9	Saccharin	≤ 1.00%	
80-15-9	Cumene hydroperoxide	≤ 1.00%	

#### 4 First-aid measures

- Description of first aid measures
  - General information: Immediately remove any clothing soiled by the product.
  - After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
  - Most important symptoms and effects, both acute and delayed No further relevant information available.
  - Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- Extinguishing media
  - Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
  - Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Wear protective clothing.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

(Contd. of page 2)

## **Safety Data Sheet** acc. to OSHA HCS

Printing date 05/01/2015 Reviewed on 05/01/2015

Trade name: Vibra-TITE® UV Adhesive

#### - Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

#### - Handling:

#### Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
  - - Requirements to be met by storerooms and receptacles: No special requirements.
    - Information about storage in one common storage facility: Not required.
    - Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters

#### Components with limit values that require monitoring at the workplace: 79-10-7 acrylic acid REL Long-term value: 6 mg/m³, 2 ppm

Skin

Long-term value: 5.9 mg/m³, 2 ppm

Skin

#### 80-15-9 Cumene hydroperoxide

WEEL Long-term value: 6 mg/m³, 1 ppm

- Additional information: The lists that were valid during the creation were used as basis.

#### - Exposure controls

# Personal protective equipment:

# - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### - Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## - Eye protection:



Tightly sealed goggles

- Body protection: Protective work clothing

(Contd. on page 4)

Printing date 05/01/2015 Reviewed on 05/01/2015

Trade name: Vibra-TITE® UV Adhesive

(Contd. of page 3)

9 Physical and chemical properties	(Cunia. or page
- Information on basic physical and ch - General Information - Appearance:	
- Form:	Viscous
- Color:	Amber colored
- Odor: - Odour threshold:	Characteristic Not determined.
- pH-value at 20 °C (68 °F):	5
	3
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Undetermined. Undetermined.
- Flash point:	94 °C (201 °F)
- Flammability (solid, gaseous):	Not applicable.
- Ignition temperature:	
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.
- Auto igniting:	Product is not selfigniting.
- Danger of explosion:	Product does not present an explosion hazard.
<ul><li>- Explosion limits:</li><li>- Lower:</li><li>- Upper:</li></ul>	Not determined. Not determined.
- Vapor pressure at 20 °C (68 °F):	0.1 hPa
- Density at 20°C (68°F): - Relative density - Vapour density - Evaporation rate	<ul><li>1.1 g/cm³ (9.18 lbs/gal)</li><li>Not determined.</li><li>Not determined.</li><li>Not determined.</li></ul>
<ul> <li>Solubility in / Miscibility with</li> <li>Water:</li> </ul>	Fully miscible.
- Partition coefficient (n-octanol/wa	ater): Not determined.
<ul> <li>Viscosity:         <ul> <li>Dynamic at 20 °C (68 °F):</li> <li>Kinematic:</li> </ul> </li> </ul>	20000 mPas Not determined.
- Solvent content:	0.4.07
<ul> <li>Organic solvents:</li> <li>VOC content:</li> </ul>	0.1 % 0.1 %
voc comen.	1.3 g/l / 0.01 lb/gl
- Solids content:	46.3 %
- Other information	No further relevant information available.

# 10 Stability and reactivity

- Reactivity
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- Information on toxicological effects
  - Acute toxicity:

- LD/LC50 values that are relevant for classification:				
868-77-9 2-hydroxyethyl methacrylate				
Oral	LD50	5050 mg/kg (rat)		

(Contd. on page 5)

Printing date 05/01/2015 Reviewed on 05/01/2015

Trade name: Vibra-TITE® UV Adhesive

rylic acid	
LD50	250 mg/kg (rat)
LD50	280 mg/kg (rabbit)
LC50/4 h	11 mg/l (ATE)
accharin	
LD50	1280 mg/kg (rat)
ımene hyd	droperoxide
LD50	382 mg/kg (rat)
LD50	500 mg/kg (rat)
LC50/4 h	220 mg/l (rat)
;	LD50 LC50/4 h accharin LD50 mene hyo LD50 LD50

- Primary irritant effect:
  - on the skin: Caustic effect on skin and mucous membranes.
  - on the eye: Strong caustic effect.
- Sensitization: Sensitization possible through skin contact.

# - Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosiv Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- Carcinogenic categories

	- IARC (International Agency for Research on Cancer)	
79-10-7	acrylic acid	3
	- NTP (National Toxicology Program)	
None of t	the ingredients is listed.	
	- OSHA-Ca (Occupational Safety & Health Administration)	
None of t	the ingredients is listed.	

#### 12 Ecological information

- Toxicity
  - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
  - Bioaccumulative potential No further relevant information available.
  - *Mobility in soil* No further relevant information available.
- Additional ecological information:
  - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
  - **PBT:** Not applicable.
  - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- Waste treatment methods
  - Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
  - **Recommendation:** Disposal must be made according to official regulations.
  - Recommended cleansing agent: Water, if necessary with cleansing agents.

# 14 Transport information - UN-Number - DOT, ADN, IMDG, IATA - UN proper shipping name - DOT, ADN, IMDG, IATA - Transport hazard class(es) - DOT, ADN, IMDG, IATA - Class not regulated

Printing date 05/01/2015 Reviewed on 05/01/2015

Trade name: Vibra-TITE® UV Adhesive

(Contd. of page 5)

- Packing group - DOT, IMDG, IATA	not regulated	
- Environmental hazards: - Marine pollutant:	No	
- Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of and the IBC Code	MARPOL73/78  Not applicable.	
- UN "Model Regulation":	-	

# 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

- Sara

Section 355 (extremely hazardous substances): None of the ingredients is listed. - Section 313 (Specific toxic chemical listings): 79-10-7 acrylic acid 80-15-9 Cumene hydroperoxide ethylene glycol - TSCA (Toxic Substances Control Act): 2-hydroxyethyl methacrylate acrylic acid Saccharin Cumene hydroperoxide Propylene glycol ethylene glycol Polyethylene glycol dimethacrylate 1,4-naphthoquinone Deionized water

# - Proposition 65

- Chemicals known to cause cancer:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories

	- EPA (Environmental Protection Agency)	
None of	f the ingredients is listed.	
	- TLV (Threshold Limit Value established by ACGIH)	
79-10-7	acrylic acid	A4
	ethylene glycol	A4
	- NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of	f the ingredients is listed.	

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: ND Industries, Inc. Safety, Health and Environmental Affaires
- Contact: Safety, Health and Environmental Affaires
  - Date of preparation / last revision 05/01/2015 / 1
  - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

Printing date 05/01/2015 Reviewed on 05/01/2015

Trade name: Vibra-TITE® UV Adhesive

(Contd. of page 6)

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

## - \* Data compared to the previous version altered.

#### - Disclaimer

The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

®ND and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, ®Vibra-TITE is a registered trademark of ND Industries, Inc.