



Reviewed on 04/30/2015

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/30/2015

1 Identification

- Product identifier

- Trade name: Vibra-TITE® Threadlocker
 - Synonyms: 242 Medium Strength Threadlocker
 - Part number: VT242
- Relevant identified uses of the substance or mixture Thread locker

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier: ND Industries, Inc 1000 North Crooks Road Clawson, MI 48017 USA Telephone: +1-248-288-0000 Email: info@ndindustries.com Website: www.ndindustries.com
- Information department: Product safety department
- Emergency telephone number: United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1B H317 May cause an allergic skin reaction.

Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



- Signal word Warning
- Hazard-determining components of labeling: Polyglycol dioctanoate
- Hazard statements
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- Precautionary statements
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray P280 Wear protective gloves. Wear eye protection / face protection. P280 Wash thoroughly after handling. P264 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
- Continue rinsing. P363 Wash contaminated clothing before reuse.
- P333+P313
- If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.
- P302+P352 If on skin: Wash with plenty of water.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 1)

Reviewed on 04/30/2015

	tion system: ratings (scale 0 - 4)	(Contd. of page 1)
	Health = 1 Fire = 1 Reactivity = 0	
- HMIS-r	atings (scale 0 - 4)	
HEALTH FIRE REACTIVIT	 Health = *1 Fire = 1 Reactivity = 0 	
- PB	ards s of PBT and vPvB assessment T: Not applicable. /B: Not applicable.	
3 Composi	tion/information on ingredients	
- Descri	characterization: Mixtures otion: Mixture of the substances listed below with nonhazardous additions. rous components:	
•	Polyglycol dioctanoate	20-30%
	Hydroxypropyl methacrylate	5-10%
	Synthetic amorphous silica (fumed)	1-5%
	Cumene hydroperoxide	1-5%
	Saccharin	1-5%
4 First-aid	measures	
- After in Supply f In case Supply f - After s - After s - After s - Inform	n of first aid measures halation: resh air and to be sure call for a doctor. of unconsciousness place patient stably in side position for transportation. resh air; consult doctor in case of complaints. kin contact: Immediately wash with water and soap and rinse thoroughly. ye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a wallowing: If symptoms persist consult doctor. ation for doctor: st important symptoms and effects, both acute and delayed No further relevant information.	

Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.

- Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 2)

Reviewed on 04/30/2015

7 Handling and storage

- Handling:

- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- No special precautions are necessary if used correctly.

- Information about protection against explosions and fires: No special measures required.

- Conditions for safe storage, including any incompatibilities

- Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.

- Control parameters

- Components with limit values that require monitoring at the workplace:

80-15-9 Cumene hydroperoxide

WEEL Long-term value: 6 mg/m³, 1 ppm

Sk

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:

Not required.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

F CON

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation - *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. - **Eye protection:**

Lyc protection

Tightly sealed goggles

Body protection: Protective work clothing

9 Physical and chemical properties

 Information on basic physical and General Information 	chemical properties	
- Appearance:		
- Form:	Liquid	
- Color:	Blue	
- Odor:	Characteristic	
- Odour threshold:	Not determined.	

(Contd. on page 4)

Trade name: Vibra-TITE® Threadlocker

Reviewed on 04/30/2015

⁻ pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 200 °C (392 °F)	
- Flash point:	95 °C (203 °F)	
- Flammability (solid, gaseous):	Not applicable.	
- Ignition temperature:		
- Decomposition temperature:	Not determined.	
- Auto igniting:	Product is not selfigniting.	
- Danger of explosion:	Product does not present an explosion hazard.	
- Explosion limits: - Lower: - Upper:	Not determined. Not determined.	
- Vapor pressure:	Not determined.	
 Density: Relative density Vapour density Evaporation rate 	Not determined. Not determined. Not determined. Not determined.	
- Solubility in / Miscibility with - Water:	Not miscible or difficult to mix.	
- Partition coefficient (n-octanol/w	rater): Not determined.	
- Viscosity: - Dynamic: - Kinematic:	Not determined. Not determined.	
 Solvent content: Organic solvents: Water: VOC content: 	0.4 % 1.1 % 0.4 % 4.4 g/l / 0.04 lb/gl	
 Solids content: Other information 	87.1 % No further relevant information available.	
Stability and reactivity		

- Reactivity

- Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products:

Aldehyde

Hydrocarbons

Carbon monoxide and carbon dioxide

*11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- L	D/LC50 v	alues that are relevant for classification:
18268-70-	7 Polyglyc	col dioctanoate
Oral	LD50	2500 mg/kg (rat)
80-15-9 C	umene hyo	droperoxide
Oral	LD50	382 mg/kg (rat)
Dermal	LD50	500 mg/kg (rat)
Inhalative	LC50/4 h	220 mg/l (rat)
128-44-9	Saccharin	
Oral	LD50	1280 mg/kg (rat)

(Contd. on page 5)

Trade name: Vibra-TITE® Threadlocker

(Contd. of page 4)

Reviewed on 04/30/2015

- Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.

- on the eye: Irritating effect.

- Sensitization: Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

- NTP (National Toxicology Program)

None of the ingredients is listed.

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity

- Aquatic toxicity: No further relevant information available.

- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
 - Bioaccumulative potential No further relevant information available.
 - *Mobility in soil* No further relevant information available.
- Additional ecological information:

- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.

14 Transport information		
- UN-Number - DOT, ADN, IMDG, IATA	not regulated	
 - UN proper shipping name - DOT, ADN, IMDG, IATA 	not regulated	
- Transport hazard class(es)		
- DOT, ADN, IMDG, IATA - Class	not regulated	
- Packing group - DOT, IMDG, IATA	not regulated	
 Environmental hazards: Marine pollutant: 	No	
- Special precautions for user	Not applicable.	
 Transport in bulk according to Annex II of I and the IBC Code 	MARPOL73/78 Not applicable.	
- UN "Model Regulation":	-	
	(Contd.	. on page 6)

Reviewed on 04/30/2015

Printing date 04/30/2015

Trade name: Vibra-TITE® Threadlocker

	(Contd. of pa
Regulatory information	
Safety, health and environmental regulations/legislation specific for the substance - Sara	ance or mixture
 Section 355 (extremely hazardous substances): 	
None of the ingredients is listed.	
- Section 313 (Specific toxic chemical listings):	
80-15-9 Cumene hydroperoxide	
- TSCA (Toxic Substances Control Act):	
Polyethylene glycol dimethacrylate	
Polyglycol dioctanoate	
Hydroxypropyl methacrylate	
Synthetic amorphous silica (fumed)	
Cumene hydroperoxide	
Saccharin	
Propylene glycol	
2'-phenylacetohydrazide	
1,4-naphthoquinone	
Deionized water	
- Proposition 65	
- Chemicals known to cause cancer:	
None of the ingredients is listed.	
- Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
- Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
-	
- Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
- Carcinogenic categories	
- EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
- TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
- NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
16 Other information	ntoo for one offic product footures and
This information is based on our present knowledge. However, this shall not constitute a guara shall not establish a legally valid contractual relationship.	intee for any specific product features and
Department issuing SDS: ND Industries, Inc Safety, Health and Environmental Affaires	
Contact: Safety, Health and Environmental Affaires	
- Date of preparation / last revision 04/30/2015 / 6	
- Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the IMDG: International Maritime Code for Dangerous Goods	International Carriage of Dangerous Goods by Road)
DOT: US Department of Transportation IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent	

LCS0: Lethal concentration, s0 percent LDS0: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 1A Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

- * Data compared to the previous version altered.

Disclaimer

Disclaimer The information set forth is based on information that ND Industries, Incorporated believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and ND Industries Inc. assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its (Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/30/2015

Trade name: Vibra-TITE® Threadlocker

English counterpart, the English version shall supersede.

 $\circledast ND$ and ND Industries, Inc. are registered trademarks of ND Industries Incorporated, $\circledast Vibra-TITE$ is a registered trademark of ND Industries, Inc.

Reviewed on 04/30/2015

(Contd. of page 6)