

In application of the Directive ref. 89/686/EEC of the 21 st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29 th of July 1992 concerning the transposition of this Directive into French law.

CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF
9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers:

CE TYPE EXAMINATION CERTIFICATE 0075/1543/162/10/11/0562

To the following model of personal protective equipment

* protective glove against mechanical risks, thermal risks.

* reference of the model : KK1021

* responsible for placing on the market:

Shanghai KIYI International Trade Co., Ltd.

Room 1905, No.738 Shangcheng Road, Pudong New District, Shanghai China The People's Republic of China

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in L

Issued by GAUDILLERE

4, rue Hermann Frenkel 69367 Lyon Cedex 07 - France

October 10th, 2011

Tél. +33(0)472761010-Fax+33(0)472761000

NOTA: Any modification to new items of the personal protective equipment object of this CE type approval certificate of any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : KK1021

Basic Model

Dated: SEPTEMBER 2011

100% Kevlar® 7-knitted glove in yellow

Available sizes :

8 10

Visual description:



Material:

	Colour	Material	Gauges	Thikness
PALM	Yellow	Kevlar®	7	
BACK	Yellow	Kevlar®	7	
LINING				
CUFF	Yellow	Kevlar®	7	
BINDING	Red	Polyester		



2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009
- General requirements for gloves and test methods
- * EN 388:2003
- Protective glove against mechanical risks
- * EN 407:2004
- Protective gloves against thermal risks
- * Directive 2002/61/CE :
- This product fulfills the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules:

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60572-11		SH60572-11
Azo	SH60572-11		
EN 388	SH60572-11		
EN 407	SH60948-11		

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
1	3	4	Х

The levels of performance have been measured on the palm

Performance levels offered against thermal risks (EN 407:2004) are:

Burning behaviour	Contact heat	Convective heat	Radiant heat	splashes of molten metal	Large quantities of molten metal
X	1	X	Х	Х	Х



Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- *** C €** marking
- * reference of the model: KK1021
- * size
- * pictogram for mechanical risks followed by the performance levels
- * pictogram for thermal risks followed by the performance levels
- * information pictogram

Marking example:



Shanghai KIYI International Trade Co., Ltd.

MANUFACTURER'S TECHNICAL FILE

Reference of the product : KK1021

Technical file index : 01

Last update : SEPTEMBER 2011

IDENTIFICATION

Reference of the product: KK1021
Technical file index: 01

Last update : SEPTEMBER 2011

CE Type Examination Applicant:

Shanghai KIYI International Trade Co., Ltd.

Room 1905, No.738 Shangcheng Road, Pudong New District, Shanghai China

The People's Republic of China

tel: 86-021-58312770-218 fax: 86-021-58353679

Manufacturer:

Shanghai KIYI International Trade Co., Ltd.

Room 1905, No.738 Shangcheng Road, Pudong New District, Shanghai China

The People's Republic of China

tel: 86-021-58312770-218 86-021-58353679

fax:

GLOVE DESCRIPTION

Glove description:

100% Kevlar® 7-knitted glove in yellow

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
243	8
262	10

Glove constitution:

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM		Yellow	Kevlar®	600g/m2	7	
BACK		Yellow	Kevlar®	600g/m2	7	
LINING						
CUFF		Yellow	Kevlar®	600g/m2	7	
BINDING		Red	Polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks, thermal risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420: 2003 + A1: 2009

Dexterity: 5

PH of glove and lining is greater than 3.5 and lower than 9.5: yes

Chromium VI lower than the detection limit: conform

Size: conform

Directive 2002/61/CE:

This product fulfills the requirements given by the Directive 2002/61/CE (Azo dyes).

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388: 2003

Protection offered	Performance levels
Abrasion resistance	1
Blade cut resistance	3
Tear strength resistance	4
Puncture resistance	X

Thermal hazard EN 407: 2004

Protection offered	Performance levels
Burning behaviour	X
Contact heat	1
Convective heat	X
Radiant heat	X
Small splashes of molten metal	X
Large quantities of molten metal	X

TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60572-11		SH60572-11
Azo	SH60572-11		
EN 388	SH60572-11		
EN 407	SH60948-11		

MARKING - PACKAGING

Information printed on the glove:

Logo of the authorized representative :

Logo €€

Glove's reference: KK1021

Size indicator

Pictograms related to risks against which protection is offered with performance levels Information pictogram

Marking example:



Method of marking on the glove:

Label sewn on the binding or printing on the back

Packaging:

Individual pair packed into each polybag

MEANS OF CONTROL

Raw material are supplied by Dupont China Holding Co., Ltd. Five samples are picked randomly before bulk material delivered into the stock, which are tested on mechanical properties based on GB/T 19975-2005 Standard in the factory laboratory. Then, the other five samples are picked randomly, which are tested on Azo, ph and other items based on EN420 in CE qualified laboratory. The raw materials are piled up respectively as QC passed material and untested material and with detail in-out storage recorders.

In production process, batch production is started until the first sample tested successfully. Quality Controller is engaged in inspection in production line in workshop. Five random semi-products should be tested in production line. Five random final-products should also be tested. All these testing are accomplished based on EN388 in the CE qualified laboratory.

The company trademarks and CE marks should be sewn strictly according to the specification requirement. Final products should be packed in polybag according to the packing instruction. Production equipments are proceed maintenance regularly. Fire, power and the other facilities meet the relevant national standard.

INSTRUCTION FOR USE

Shanghai KIYI International Trade Co., Ltd.

Room 1905, No.738 Shangcheng Road, Pudong New District, Shanghai China

The People's Republic of China Glove reference: KK1021

Available sizes: 8 10

Glove description:

100% Kevlar® 7-knitted glove in yellow

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE: innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (OO75) 4, rue Hermann Frenkel 69367 LYON Cedex 07 FRANCE

Applicable standards:

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5 Moreover, this glove has been designed for the following applications :



Levels of performance



Levels of performance



Abrasion resistance	1
Blade cut resistance	3
Tear resistance	4
Puncture resistance	X

Burning behaviour	X
Contact heat	1
Convective heat	X
Radiant heat	X
Small splashes of molten metal	Х
Large quantities of molten metal	X

Protection limit:

This glove doesn't give a protection for a temperature over 100°C.

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

For gloves with different layers of material, the performance levels are warranted only for the whole glove.

Users should be warned that gloves should not be worn when there is a risk of entaglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.